# Health & Safety Committee Progress Report, July 15, 2020

# • Reviewed NYS Dept of Health Interim Guidance issued July 13, 2020

- Types of PPE required and when it should be worn
- Social distancing -- 6 feet; 12 feet for PE and music classes
- Physical barriers -- plexiglass is mentioned but this is not allowed in schools; we will look into alternatives
- Utilization of outdoor space
- o Cohorts
- Contact tracing
- Screening students, staff, visitors before entry
  - Pre-screening at home -- drawbacks to this
- o Coronavirus testing
  - Not currently available to school districts
  - We are looking into this
- Containment zones if a student or staff member develops symptoms at school

# • Discussion of implications of the interim guidance

- Social distancing -- how will it look in classrooms; R. Clamser's staff is measuring every classroom and other spaces in the buildings to determine potential layout, capacity
- Springhurst -- potentially reconfigure specials so they push into classrooms instead of having students go to those rooms
- o Students who cannot tolerate wearing a face covering due to a disability
- Storage of students' belongings if lockers are not being used
- Cleaning and disinfecting classrooms -- between every period in MS/HS?

### • Signage for buildings

- Will include:
  - directional signage
  - visitors
  - hand washing and hygiene
  - bathroom signage
  - signage for distancing
  - food service
- Must be age appropriate
- Some can be printed directly from CDC website
- Springhurst has capacity to make signs in-house

### • Future work

- Meeting on Monday, July 20: focus on hygiene section of guidance
- Meeting on Wednesday, July 22: recommendations to the Task Force